

AMENDMENTS TO THE CLAIMS

1. (currently amended) A method for initiating a software download, comprising:
 - a) ~~accessing~~ providing a client computer running a browser application via a network a page of a web site via a network ~~utilizing a browser application running on a client computer~~, wherein a plug-in application resides in the web site;
 - b) determining whether the client computer is suitable for receiving the plug-in application;
 - c) downloading the plug-in application from the web site to the client computer via the network if the client computer is determined to be suitable for receiving the plug-in application, wherein the plug-in application has instructions for downloading a download manager application to the client computer via the network;
 - d) downloading the download manager application to the client computer via the network utilizing the plug-in application, wherein the download manager application has instructions for downloading a software application in chunks to the client computer via the network; and
 - e) downloading the software application in chunks to the client computer via the network utilizing the download manager application.
2. (original) The method of claim 1, wherein the plug-in application comprises at least one of an ActiveX control and a JavaScript application.
3. (original) The method of claim 1, wherein a security feature of the browser application of the client computer requires that a user authorize the downloading of the plug-in application.
4. (original) The method of claim 3, wherein the security feature includes displaying a message to the user that notifies the user to authorize the downloading of the plug-in application.
5. (original) The method of claim 3, wherein another page of the web site is displayed to the user if the authorization to download the plug-in application is denied by the user.
6. (original) The method of claim 3, wherein information about whether or not the downloading of the plug-in application was authorized by the user is stored in the client computer.
7. (original) The method of claim 1, wherein determining the suitability of the client computer for receiving the plug-in application includes determining whether the number of times the client computer has accessed the web site is under a predetermined threshold number.
8. (previously presented) The method of claim 1, wherein another page of the web site is displayed on the client computer if the client computer is determined to be unsuitable for receiving the plug-in application.

9. (original) The method of claim 1, wherein a license agreement is displayed on the client computer to the user prior to the downloading of the plug-in application.
10. (original) The method of claim 1, wherein the determination of the suitability of the client computer for receiving the plug-in application is carried out by another web site.
11. (original) The method of claim 1, wherein the page of the web site launches a window which initiates the determination of the suitability of the client computer for receiving the plug-in application.
- 12-22. (canceled)
23. (currently amended) A computer-readable medium comprising:
- a) computer code for ~~accessing~~ providing a client computer running a browser application via a network a page of a web site via a network ~~utilizing a browser application running on a client computer~~, wherein a plug-in application resides in the web site;
 - b) computer code for determining whether the client computer is suitable for receiving the plug-in application;
 - c) computer code for downloading the plug-in application from the web site to the client computer via the network if the client computer is determined to be suitable for receiving the plug-in application, wherein the plug-in application has instructions for downloading a download manager application to the client computer via the network;
 - d) computer code for downloading the download manager application to the client computer via the network utilizing the plug-in application, wherein the download manager application has instructions for downloading a software application in chunks to the client computer via the network; and
 - e) computer code for downloading the software application in chunks to the client computer via the network utilizing the download manager application.
24. (previously presented) The computer-readable medium of claim 23, wherein the plug-in application comprises at least one of an ActiveX control and a JavaScript application.
25. (previously presented) The computer-readable medium of claim 23, wherein a security feature of the browser application of the client computer requires that a user authorize the downloading of the plug-in application.
26. (previously presented) The computer-readable medium of claim 25, wherein the security feature includes displaying a message to the user that notifies the user to authorize the downloading of the plug-in application.
27. (previously presented) The computer-readable medium of claim 25, wherein another page of the web site is displayed to the user if the authorization to download the plug-in application is denied by the user.

28. (previously presented) The computer-readable medium of claim 25, wherein information about whether or not the downloading of the plug-in application was authorized by the user is stored in the client computer.
29. (previously presented) The computer-readable medium of claim 23, wherein determining the suitability of the client computer for receiving the plug-in application includes determining whether the number of times the client computer has accessed the web site is under a predetermined threshold number.
30. (previously presented) The computer-readable medium of claim 23, wherein another page of the web site is displayed on the client computer if the client computer is determined to be unsuitable for receiving the plug-in application.
31. (previously presented) The computer-readable medium of claim 23, wherein a license agreement is displayed on the client computer to the user prior to the downloading of the plug-in application.
32. (previously presented) The computer-readable medium of claim 23, wherein the determination of the suitability of the client computer for receiving the plug-in application is carried out by another web site.
33. (previously presented) The computer-readable medium of claim 23, wherein the page of the web site launches a window which initiates the determination of the suitability of the client computer for receiving the plug-in application.
34. (currently amended) A method for initiating a software download, comprising:
a) ~~accessing~~ providing to a client computer running a browser application via a network a first page of a web site ~~via a network—utilizing a browser application running on a client computer~~, wherein a plug-in application resides in the web site, wherein the plug-in application comprises at least one of an ActiveX control;
b) determining whether the client computer is suitable for receiving the plug-in application, wherein determining the suitability of the client computer for receiving the plug-in application includes determining whether the number of times the client computer has accessed the web site is under a predetermined threshold number, wherein a second page of the web site is displayed on the client computer if the client computer is determined to be unsuitable for receiving the plug-in application;
c) downloading the plug-in application from the web site to the client computer via the network if the client computer is determined to be suitable for receiving the plug-in application, wherein a security feature of the browser application of the client computer requires that a user of the client computer authorize the downloading of the plug-in application, wherein the plug-in application has instructions for downloading a download manager application to the client computer from a second web site via the network;
d) downloading the download manager application to the client computer via the network utilizing the plug-in application, wherein the download manager application has

Docket No. 10005.001500
Response To Office Action
September 20, 2006

instructions for downloading a software application in chunks to the client computer via the network from a web site other than the web site having the plug-in application; and
e) downloading the software application in chunks to the client computer via the network utilizing the download manager application.

35-41. (canceled)